



National Auto Fleet Group

A Division of Chevrolet of Watsonville

490 Auto Center Drive, Watsonville, CA 95076

(855) 289-6572 • (831) 480-8497 Fax

Fleet@NationalAutoFleetGroup.com

11/2/2023

Quote ID#2631HD

Mr. Christian Lepe

MT. Diablo USD
1936 Carlotta Drive
Concord, CA 94519

Dear Christian Lepe,

National Auto Fleet Group is pleased to quote the following sourced item(s) for your consideration. One (1) New/Unused (**2025 Peterbilt 536, PACCAR PX-7 300 Engine, Allison 2500 RDS-P Transmission with 24' Aluminum Reefer Box Truck**) and provided by Mr. Tim Lopez with Peterbilt, each for:

	Contract Price
Chassis and Option	\$ 139,897.00
Marathon Quote	\$ 56,202.00
Reefer Quote	\$ 19,980.00
Tax (9.75%)	\$ 0.00
Ext. Warranty	\$ 4,470.00
Tire Fee	\$ 17.50
Total	\$ 241,634.20

This sourced item(s) is available under the Sourcewell (Formerly Known as NJPA) Contract 060920-NAF. Please reference this Bid Number on all Purchase Orders.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

Ben Rodriguez

HD Contract Manager

BEN@NationalAutoFleetGroup.com

Office (855) 289-6572

Fax (831) 480-8497





Marathon Industries Inc.

25597 Springbrook Ave. Santa Clarita, CA 91350
 Ph: (661) 286-1520 Fax: (661) 286-1533
 Marathon Truck Body, Inc.
 775 East Glendale Ave. Sparks, NV 89431
 Ph: (775) 499-0700 Fax: (661) 286-1533
 www.marathontruckbody.com

Quote Expiration Date : 01/08/24

SALES QUOTATION	
Sales Quote No	QNB-067129
Sales Quote Date	10/23/23
Customer No.	COAC
Customer PO No	
Customer PO Date	10/23/23
Payment Terms	Net 30 days
Salesperson	Tom Garcia
Quoted By	

Sold To:

Coast Counties - San Leandro
 Tim
 260 Dolittle Dr.
 San Leandro, CA 94577

Tel: 510-568-6933
 Fax: 510-562-5564

Ship To:

Coast Counties - San Leandro
 260 Dolittle Dr.
 San Leandro, CA 94577

Tel:
 Fax:

Year:

Make:

Model:

Wheel Base:

Cab to Axle

Pool Chassis: No

VIN Number:

Serial Number:

License No.:

Item:

Item No.	Description	Unit	Qty Order	Unit Price	Labor	Amount
2REF249693	copy QNB-066819 Ref: Diablo USD 24'6"OLx 102"OWx94"IH Reefer VB 23'8" IL x 94" IH x 102" OW Pre-painted Polar White .050 Aluminum Wall Panels Sprayed Foam insulation, Walls & Ceiling w/ 3" + Floor & Bulkhead w/ 4", Sprayed in place. Walls, Ceiling, and Bulkhead are lined w/KemPly w/Thermobreaks Aluminum Inverted T Floor w/12" Extruded Aluminum Kick Plate Cross members 12" on ctr - 9" Aft R. Axle Aluminum/Steel Contacts Protected w/Electrolytic Treatment Stainless Steel Rear Portal Reinforced Threshold has added Cross Member and Base Stiffeners Top of Portal Reinforced W/ Internal Gussets Front Bulkhead Reinforced Special 11 GA Frt C. Member W Extra Long Rails Fiberglass front radius panel for reefer mount One piece Aluminum Roof Aluminum Roof Bows bonded every 24" on Center (2) Interior Dome lights All LED Lights LED Marker and Tail - Lights meet MVSS #108 (Interior & BU Lights Conventional) 1 1/8" Insulated Overhead Roll-Up Rear Door Door Has Inside Emergency Release Mud flaps, Grab Handles, and Undercoating (2) Floor Drains at Front and Full Sub Pan Bulkhead is reinforced for Stand Alone reefer unit (Thermo King T-380-50 Customer To Deal Direct) Front radius Service Steps & Grab Handle Inc.	Each	1.00			
8REEF1002	Extra 102" Wide	Each	1.00			



Marathon Industries Inc.

25597 Springbrook Ave. Santa Clarita, CA 91350
 Ph: (661) 286-1520 Fax: (661) 286-1533
 Marathon Truck Body, Inc.
 775 East Glendale Ave. Sparks, NV 89431
 Ph: (775) 499-0700 Fax: (661) 286-1533
 www.marathontruckbody.com

Quote Expiration Date : 11/22/23

SALES QUOTATION

Sales Quote No	QNB-067129
Sales Quote Date	10/23/23
Customer No.	COAC
Customer PO No	
Customer PO Date	10/23/23
Payment Terms	Net 30 days
Salesperson	Tom Garcia
Quoted By	

Sold To:

Coast Counties - San Leandro
 Tim
 260 Dolittle Dr.
 San Leandro, CA 94577

Tel: 510-568-6933
 Fax: 510-562-5564

Ship To:

Coast Counties - San Leandro
 260 Dolittle Dr.
 San Leandro, CA 94577

Tel:
 Fax:

Year:

Make:

Model:

Wheel Base:

Cab to Axle

Pool Chassis: No

VIN Number:

Serial Number:

License No.:

Item:

Item No.	Description	Unit	Qty	Order Unit Price	Labor	Amount
	<i>Transferred from page %1.....</i>					
8WALL1003	E Track - non inlaid (2) Rows - Located 30" & 60" On Center From Floor	Foot		96.00		
8OPT1000	Maxon BMR-44 Columnlift 84" x 86" Steel Platform w/16"ARR Cab On/Off Switch	Each	1.00			
8OPT1025	Extra Battery Kit Dual Inc. Battery Box, 2 Group 31 Deep Cycle Batteries Solenoid & Wiring into chassis electrical system	Each	1.00			
8OPT1026	Back Up Camera w/ Monitor	Each	1.00			
8OPT1000	Safety Conspicuity Reflective Tape On Sides & ICC	Each	48.00			
8FREIGHT27	Weight Certificate & Misc Fuel	Each	1.00			
8FREIGHT1010	One Way to No. Cal Bay Area	Each	1.00			
8OPT1001	**Pricing Disclaimer** Due to cost increases outside of our control this quote/order pricing is only valid for 30 days. If the chassis does not arrive within 30 days of the original quote, the order will be repriced at time of chassis arrival. All prices subject to change.	Each	1.00			

Subtotal:	56,202.00
Invoice Discount:	0.00
Tax Amount	0.00
Total:	56,202.00

ADDITIONAL TERMS AND CONDITIONS:

- 1. Sales Quotation, Order, and Invoice.** The Sales Quotation, Sales Invoice, and Sales Order documents are intended to supplement each other, and together they constitute a binding Contract, jointly and severally, between Marathon Industries, Inc. ("Marathon") and the Customer referenced on the documents. Such documents incorporate these Additional Terms and Conditions which shall be deemed part of the Contract. In case of conflict between the documents, the Sales Invoice shall define and determine the terms of the Contract.
- 2. Labor and Material.** All charges for improvements, repairs, labor, and materials furnished under the Contract are due and payable simultaneously with the delivery of the subject vehicle to the Customer, or upon notice as described herein below. Any balance remaining unpaid after it is due and payable shall accrue simple interest at the rate of 15% per annum until paid.
- 3. Storage Charge.** The Customer shall have any vehicles that are completed, or those vehicles that Marathon gives notice to the Customer concerning, removed from Marathon's premises within three (3) days after such notice is given. If Customer fails to remove such vehicles as required herein, then Customer agrees to pay a storage charge of \$100.00 per day until such vehicles are removed.
- 4. Withdrawal of Quotation.** The Sales Quotation will be considered a proposal until a copy, signed by the Customer or confirmed by electronic mail or facsimile transmission, has been delivered to Marathon's office. Until that time, Marathon has the right to withdraw the proposal by written notice delivered to the Customer in the manner set forth herein.
- 5. Extra Work.** The price set forth in this Contract shall be deemed to be full compensation for all work and materials furnished by Marathon as called for by the Contract, agreed upon written plans, or agreed upon written specifications. Additional compensation shall be paid to Marathon pursuant to written revised Sales Quotations signed by the Customer stating that the work is extra and designating the amount to be paid for the extra work.
- 6. Delay.** Marathon shall be excused for any delay in completion of the work caused by acts of God, government orders or proclamations, acts of the Customer, or the Customer's employees, agents, or representatives, inclement weather, labor troubles not the fault of Marathon, Customer requests for extra work, failure of Customer to make payments when due, and other contingencies unforeseen by Marathon and beyond the reasonable control of Marathon.
- 7. No Insurance.** Customer hereby agrees that any vehicles or property of Customer in the possession of Marathon is not insured or protected for the amount of the actual cash value thereof, or otherwise against loss occasioned by theft, fire or vandalism while in Marathon's possession, and Customer agrees to maintain any insurance coverage for the vehicle or property.
- 8. Attorney Fees.** In any legal action arising out of this Contract or the performance thereof, the court in such litigation shall award reasonable attorney's fees to the prevailing party. Unless judgment is obtained by default, the attorney's fee award shall not be computed in accordance with any court schedule, but shall be in such amount as to fully reimburse all attorney's fees actually incurred in good faith, regardless of the size of the judgment, it being the intention of the parties to fully compensate for all attorney's fees paid or incurred in good faith.
- 9. Venue.** Any legal action arising out of this Contract shall be filed in Los Angeles County, State of California, which is the exclusive venue for any such actions.
- 10. Bankruptcy.** If the Customer should file a petition in bankruptcy or make an assignment for the benefit of creditors, Marathon shall be paid the reasonable value of all work performed under this Contract, and the obligations of all parties under this Contract shall thereupon terminate. In determining reasonable value under this paragraph, the Contract price shall be deemed to be the reasonable value.
- 11. Notice.** Any notice required or permitted under this Contract may be given (a) orally, via a telephone call made to a number provided by the Customer on the Contract or otherwise, (b) via written notification to the address provided by the Customer on the Contract, or (c) electronically, via voice message, text message, or email, made to a telephone number or email address provided by the Customer on the Contract or otherwise. Notice shall be deemed to have been given upon transmission of the electronic message or telephone call, or if mailed, upon deposit with the United States Postal Service.
- 12. Liens.** Customer hereby grants to Marathon all general, possessory, and retaining liens, and all special or charging liens known to common law, for all charges, including labor and parts, due and payable under this Contract, including storage and/or towing, to enforce such lien, and for Marathon's unpaid fees, costs, and expenses, on any amount recovered in any action arising out of the Contract by settlement, arbitration award, judgment at trial, or otherwise. Customer understands and agrees that Marathon shall have the right to retain any vehicles and personal property of Customer as security for any and all amounts owed to Marathon by Customer under this Contract. Marathon is hereby expressly authorized to sell such vehicles at public auction after giving a twenty (20) day written notice by certified mail to the legal owner and/or registered owner and/or Customer, and California Department of Motor Vehicles, of Marathon's intent to do so. On the sale date, the vehicle shall be sold to the highest cash bidder and the proceeds of the sale must be used first to satisfy the lien plus storage costs and costs incident to the sale, and the balance shall be forwarded to the California Department of Motor Vehicles. Customer agrees to pay any expenses incurred during the process of a lien sale, including reasonable attorney's fees that may be necessarily incurred.
- 13. Severability and Amendment.** It is understood and agreed that should any provision of the Contract be found to be unenforceable, such unenforceable provision shall not affect the remaining portions or provisions of the Contract. The Contract may be amended only by a writing signed by all the parties, is binding on, and shall inure to the benefit of, the successors and assigns of the parties, and shall not be assignable except by written agreement between Marathon and Customer.
- 14. Sole Agreement.** The documents are expressly agreed to and constitutes the entire Contract of the parties as of the date set forth above. No other purported agreements or understandings, verbal or written, expressed or implied, are a part of the Contract unless specified herein.
- 15. No Liability for Personal Property of Customer.** Customer understands and agrees that any personal property that is not the subject of the Contract shall be removed from any vehicle in the possession of Marathon, agrees that Marathon is not obligated to inspect the vehicle for such personal property, and releases Marathon from any liability or obligation with respect to such personal property left in the vehicle.
- 16. Damage to or Destruction of Vehicles.** If any vehicle or property of Customer in the possession of Marathon is destroyed by accident, collision, fire or other catastrophe which is not the fault of Marathon or any of its employees, personnel, or labor, Marathon shall be paid for all work performed to the time of destruction, and shall be relieved of any further obligation to provide work under this Contract with respect to such vehicles or property. Marathon is not responsible for glass breakage, mechanical breakdowns, or road hazard damages on the vehicles or property in its possession unless such conditions are the result of negligence, misconduct, malfeasance, or violations of law on the part of Marathon or any of its employees, personnel or labor.
- 17. Authority to Operate.** Under the terms and conditions of the Contract, Customer authorizes Marathon to perform the repairs and/or improvements to the vehicle, and authorizes Marathon to operate the vehicle on public thoroughfares for evaluation, tests, and inspections.
- 18. Collection.** Customer understands and agrees that if any charges due and payable under the Contract remain unpaid for thirty (30) days after notice is given for payment, Marathon may refer such charges to its attorneys for collection and the customer agrees to pay reasonable attorney's fees incurred by Marathon for such collection.

PROPOSITION 65 WARNING FOR AUTO PARTS AND SERVICE

WARNING:

Motor Vehicles contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. These chemicals are contained in many vehicle components and replacement parts, vehicle fluids, and paints and materials used to maintain vehicles, including, but not limited to, fuel, batteries, brakes and wheel balancing weights. When Customer services, cleans or maintains Customer's vehicle, Customer will be exposed to listed chemicals contained in used oil, waste and replacement fluids, fumes, grease, grime, touch-up paint, certain replacement parts, and particulates from component wear, and in other materials. When Marathon provides work or service on Customer's vehicles, Marathon may return used components to Customer upon request. Used parts and components contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize Customer's exposure when servicing, maintaining or cleaning Customer's vehicle: (a) work in a well-ventilated area; (b) do not smoke, drink or eat while working; (c) wash hands when finished or when taking a break; and (d) follow all manufacturer instructions pertaining to proper use and maintenance of motor vehicles and vehicle components. (Posted in accordance with Proposition 65 in Cal. Health & Safety Code section 25249.5, et seq.) For further information about Proposition 65 see <http://www.oehha.org/prop65.html>.

Please Sign and Date to accept the terms and conditions of this quotation.

Signed : _____

Purchase Order : _____ Date : _____

Pool Chassis [] or Customer Chassis [] or Est. Chassis Arv. []

Chassis Model _____ Chassis Ready for Pick Up []

VIN # _____

Special Delivery Instructions :



Los Angeles - Fontana - San Diego - San Leandro - Sacramento - Stockton - Redding - Las Vegas - Reno
 Phone: 800-211-8080 Fax: 323-582-5835

T-680R 50 Advanced Reciprocating Compressor



Date: **4/13/2018**
 Contact: **TIM LOPEZ**
 Company: **COAST COUNTIES**
 Address: **260 DOOLITTLE DR**
SAN LEANDRO
CA 94577

Salesperson: **VERNON PASSINI**
 Proposal # **41318-T680R50**
 Temperature application & specifications:
MT DIABLO SCHOOL DISTRICT

Electric motor required: Voltage 230/3p

System application:

Ambient Temp.	95	°F	Box size:	24'	
Set point Temp.	32	°F	Rear/Side door type:	rollup	
Product type:	freh		Insulation thickness:	3x3x3x4	
Running hours daily:	8		Rear/Door openings	0	Per day
Deliveries / day:	10		Side/Door openings	0	Per day

STANDARD FEATURES:

- | | |
|---|--|
| <ul style="list-style-type: none"> SMART REEFER microprocessor controller Auto Phase Correction Warranty 2 yr. Major Components/1 yr. Basic EMI 2000 extended maintenance | <ul style="list-style-type: none"> Cycle-Sentry start/stop control system Diesel/electric auto-switching TherMax system Silicone coolant hoses |
|---|--|

REFRIGERATION CAPACITY:

Return Air to Evaporator	35 Degrees F	0 Degrees F	-20 Degrees F
With Standard R-404A Refrigerant Package			
Capacity on engine power	18,000	11,000	7,000
		BTU/hr. (Up to)	

AIRFLOW: on high speed engine operation

Airflow Volume @ 0 Pa static pressure	1600	ft ³ /min
Discharge Velocity (air flow)	18	ft./sec

DIESEL ENGINE: 3 Cylinder, Liquid Cooled

Model	TK 370
Rating	12 hp
Maintenance Interval	2000 hrs.

ELECTRIC STAND-BY MOTOR

Voltage / Phase / Cycles	230/3/60
--------------------------	----------

WEIGHT:

Complete System	1018
-----------------	------

DIMENSIONS: inches

	Height	Width	Depth
Condenser	24	74	13
Evaporator	13	36	13

You are a special customer and your business is greatly appreciated. Many thanks!

PRICING

Refrigeration system price: **\$ 19,980.00** /Each
 Option: System installation **Included**
***Option: 2nd Year extended warranty, full coverage, 4000 hours, \$0.00 deductible. NOT Included**
 Option: Electric standby 230 v/3p/60Hz **Included**
 Option: Standard Control Display **Included**

TOTAL PRICE PER SYSTEM:

\$ 19,980.00 F.O.B.: TK Services / San Leandro
 Applicable Taxes are not included

TK SERVICES, INC. TERM & CONDITIONS

- * All above prices are firm for 30 days, terms are C.O.D.
- * We are unable to accept credit card payments.
- * We accept CASHIER CHECK PAYMENTS for C.O.D. accounts
- * In those cases where the OEM cannot supply the equipment on the promised date, you will be invoiced a maximum of 7 days from the date of installation

CUSTOMER ACCEPTANCE TO UNIT, OPTIONS, PRICE, TERM & CONDITIONS:

TK Services, Inc. Thanks You
 for your confidence in our products.

Please sign below and return to

Sincerely,

Vernon Passini

VERNON PASSINI

PO # _____
 VIN # _____
 STOCK # _____
 Signature: _____
 Title: _____
 Date: _____
 Body Builder: _____
 Approx. Date Truck to Arrive to T.K. _____

**** IMPORTANT ****

TEMPERATURE APPLICATIONS, MODEL SPECIFICATIONS AND TECHNICAL OPTIONS OF THERMO KING REFRIGERATION SYSTEMS, MUST BE CONFIRMED AND APPROVED BY A THERMO KING SALES CERTIFIED ACCOUNT EXECUTIVE AND MEET THERMO KING CORPORATION'S EQUIPMENT RATING. FAILURE TO MEET THIS CONDITION WILL VOID WARRANTY.

Reference: 0 COAST COUNTIES

WARRANTY REGISTRATION

*Please complete this form when quoting or purchasing a Thermo King refrigeration system unit from TK Services, Inc.
 This information is required by Thermo King Corporation.*

Thermo King Model:

Unit Serial Number

Date in Service

Company Name / User

Address

City / State

Zip Code

Phone #

() _____

E-mail

Terms of the Thermo King Warranty are available on request.

**PLEASE INCLUDE THE COMPLETED FORM WITH YOUR SIGNED ORDER
 THANK YOU! TK SERVICES, INC.**



Coast Counties Trucks (C501)
 260 Doolittle Drive
 San Leandro, California 94577

Stock

Tim Lopez
 Cell Phone:
 Office Phone: (510)568-6933
 Email: tlopez@coastcounties.com

Stock Order

Vehicle Summary

	Unit		Chassis	
Model:		Model 536	Fr Axle Load (lbs):	10000
Type:		Full Truck	Rr Axle Load (lbs):	20000
Description 1:	MDUSD 24 Reefer Truck		G.C.W. (lbs):	26000
Description 2:	Copy of 24 ft Reefer			
	Application		Road Conditions:	
Intended Serv.:	City Delivery		Class A (Highway)	100
Commodity:	Produce		Class B (Hwy/Mtn)	0
			Class C (Off-Hwy)	0
	Body		Class D (Off-Road)	0
Type:	Van		Maximum Grade:	6
Length (ft):	24		Wheelbase (in):	253
Height (ft):	13.5		Overhang (in):	124
Max Laden Weight (lbs):	1000		Fr Axle to BOC (in):	67.5
			Cab to Axle (in):	185.5
	Trailer		Cab to EOF (in):	309.5
No. of Trailer Axles:	0		Overall Comb. Length (in):	417
Type:				
Length (ft):	0		Special Req.	
Height (ft):	0			
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	40			
Width (in):	102			
Height (ft):	13.5			

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Sales Code	Std/ Opt	Description	\$ List	Weight
Base Model				
0005361	S	Model 536 The Model 536 is the ultimate Class 6 medium duty. It is highly adaptable and can be configured up to 26,000 lbs. to meet the demands of a variety of medium-duty applications. Combining durability and power with options to match the needs of both the job and driver, the 536 is an exceptional performer and ideal for refrigerated van, pickup and delivery, wrecker and municipal utility applications.	106,244	9,470
0091010	O	Produce	0	0
0093340	S	City Delivery Truck or tractor which hauls freight, typically operating within a 100-mile radius, on public streets and highways and other paved surfaces. Typically includes package and freight delivery.	0	0
0095040	S	Van	0	0
0098010	O	California Registry California Registry Required for all vehicles that will be registered in the State of California.	0	0
Configuration				
0200700	S	Not Applicable Secondary Manufacturer	0	0
0210260	S	Class 6 Chassis Weight Rating 26,000 lb GVWR	0	0
Frame & Equipment				
0515040	O	10-5/8" Steel Rails 385-444" 10.625 x 3.45 x .313 Dimension, 1,776,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 14.8 cubic inches. Weight: 1.44 lbs/inch pair	939	667
0611300	O	Heavy Duty 5-Piece Crossmember BOC IPO Standard Class 5, 6, 7	46	20
0611790	O	Aluminum Frame Rail Crossmembers Excludes suspension	178	-7
0612085	O	253" Wheelbase	0	0
0644090	S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.	0	0
0651010	O	Peterbilt Rear Mudflaps and Straight Hangers Mudflaps aid in protecting the frame and undercarriage from road salt, grime and debris that can cause rust and corrosion. Mud flaps also shield other vehicles from gravel, rocks and road spray.	147	25
0660060	O	Clear Space LH Outside Rail	295	0
0660070	O	Clear Space RH Outside Rail	295	0
0660172	O	72" Clear Frame Space - LH	0	0

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/ Opt	Description	\$ List	Weight
0660272	O	72" Clear Frame Space - RH	0	0
0660310	O	Directly Behind RH U/C Component	0	0
0660360	O	Directly Behind DEF Tank	0	0
Front Axle & Equipment				
1014130	S	Hendrickson SteerTek NXT 10,000 lb 3.32" Drop	0	0
1111155	S	Mono-Leaf Springs, Shocks, 10,000 LBS.	0	0
1243040	S	Power Steering Sheppard HD94 Sheppard HD94 power steering gear is a light weight version of heavy duty line-haul power steering gear. For use with 10,000 to 13,200 lb. axle ratings.	0	0
1250180	O	Power Steering Reservoir Frame Mounted The power steering reservoir is a steering system that eases drivability by applying hydraulic pressure to the steering gear.	0	0
1353550	O	PHP10 Aluminum PreSet PLUS Hubs Air Disc PHP10 aluminum PreSet PLUS hubs air disc have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug, with a seal and bearings. Use with Front Axle.	828	14
1380070	O	Greasable Front Spring Pins	130	0
1380290	O	Bendix Air Disc Front Brakes Bendix air disc front brakes use a floating caliper design to provide foundation braking on all axles and complies with reduced stopping distance regulations.	-83	30
1380550	O	Hendrickson Wide Track IPO Standard Hendrickson Wide Track in place of standard front axle 71" KPI IPO 69" front axle for improved turning radius.	0	15
Rear Axle & Equipment				
1511940	O	Meritor MS21-14X 21,000 LB MS-14X single rear drive axles have hypoid-generoid gearing options that offer long life and increased durability. Rigid differential cases offer precise gear alignment and durability. Optional driver-controlled differential lock (DCDL) maximizes traction and spinout protections in slippery conditions.	702	0
1616300	S	PHP10 Iron PreSet PLUS Hubs	0	0
1680420	O	X30 Brake Drums IPO Standard, Drive Axle(s)	175	-80
1680490	O	Gusseted Cam Brackets, Drive Axle(s)	30	2
1680500	S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve	0	0



Sales Code	Std/ Opt	Description	\$ List	Weight
		and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.		
1680550	O	Upsize Parking Brakes	64	0
1680740	O	Bendix ESP Electronic Stability Program With ATC Truck, Van, City Delivery. The Bendix ESP system is designed to continuously monitor a variety of vehicle parameters and sensors to determine if the vehicle is reaching a critical stability threshold. If such a situation develops, the system will quickly and automatically intervene to assist the driver by selectively applying tractor and trailer brakes, and de-throttling the engine.	756	0
1682430	S	Anti-Lock Braking System (ABS) 4S4M ABS-6. Includes air braking system.	0	0
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0	0
1687020	O	Bendix Air Cam Rear Drum Brakes 16.5x8.6 Bendix Air Cam Rear Drum Brakes to fit all heavy haul, construction, refuse and highway truck and tractor applications. Includes Automatic Slack Adjusters & Outboard Mounted Brake Drums. Refer to TSB 11-57 for more information.	7	5
1705860	O	Ratio 5.86 Rear Axle	0	0
1811200	O	Peterbilt Air Trac 20,000 lb Light Weight	971	20
1911200	O	Steel Suspension Insert Over 77" Overhang	806	175
1920385	O	Air Springs, Internal Bumpers Air Trac / Air Leaf suspensions	56	0
1922260	O	Dash Mtd Dump Switch with Indicator Light Dash mounted dump switch with indicator light for suspension.	31	2
Engine & Equipment				
2073513	O	PACCAR PX-7 300@2600 GOV@2600 660@1600 Performance (2024 Emissions)	2,329	0
		N21350 C121 64....Maximum Accelerator Pedal Ve		
		N21370 C128 64....Maximum Cruise Speed (P059)		
		N21460 C132 1400..Max PTO Speed (P046)		
		N21520 C133 5.....Timer Setting (P030)		
		N21610 C188 39....Low Ambient Temperature Thre		
		N21620 C189 60....Intermediate Ambient Tempera		
		N21630 C190 80....High Ambient Temperature Thr		
		N21550 C206 35....Engine Load Threshold (P516)		

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/ Opt	Description	\$ List	Weight
		N21340 C209 120...Hard Maximum Speed Limit (P1 N21510 C225 YES...Enable Idle Shutdown Park Br N21450 C231 NO....Gear Down Protection (P026) N21570 C233 NO....Idle Shutdown Manual Overrul N21440 C234 NO....Engine Protection Shutdown (N21480 C238 NO....Auto Engine Brake in Cruise N21470 C239 NO....Cruise Control Auto Resume (N21430 C333 0.....Reserve Speed Limit Offset (N21410 C334 0.....Maximum Cycle Distance (N202 N21590 C382 YES...Enable Hot Ambient Automatic N21500 C395 0.....Expiration Distance (N209) N21530 C396 YES...Enable Impending Shutdown Wa N21540 C397 60....Timer For Impending Shutdown N21320 C399 120...Standard Maximum Speed Limit N21400 C400 252...Reserve Speed Function Reset N21420 C401 10...Maximum Active Distance (N20 N21330 C402 0.....Expiration Distance (N207)		
2091130	S	VMUX Electronics Architecture	0	0
2091305	O	Engine Idle Shutdown Timer Enabled	0	0
2091315	O	Enable EIST Ambient Temp Ovrrule	0	0
2091372		Eff EIST NA Expiration Miles	0	0
2091640		Effective VSL Setting NA	0	0
2092014	O	Typical Operating Speed 65 MPH	0	0
2092033	O	Powertrain Optimized for Balance Best analysis for vehicles where service includes frequent start and stop cycles.	0	0
2140200	O	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0	0
2140450	O	Remote PTO/Throttle, 12-Pin Eng Bay Remote Control Provision	58	0
2140660	O	CARB Emission Warranty	0	0
2140700	S	EPA Engine Idling Compliance	0	0
2513060	S	PACCAR 160 Amp Alternator, Brushed PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0	0
2521090	O	Immersion Type Block Heater 110-120V Standard location is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof	105	2

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/ Opt	Description	\$ List	Weight
		cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.		
2521110	O	Oil Pan Heater 120V/300W Oil Pan Heater 120V/300W operates via 120V ShorePower system and keeps oil warm and free flowing for instant lubrication with oil and transmission immersion heaters when the engine is not running. This option utilizes the same receptacle as the immersion pre-heater if specified together.	176	2
2522160	S	PACCAR 12V Starter PX-7 Engine Only	0	0
2538100	O	2 PACCAR AGM 12V Batteries 1850 CCA	-55	0
2539700	O	Battery Jumper Terminal Mtd under hood RH frame rail. Available with PX-7 engines only.	123	4
2539720	O	Low Voltage Disconnect System	0	0
2539840	O	MD - Battery Disconnect Switch Mounted on Battery Box	530	9
2621090	S	DM Advantage ON/OFF Fan Clutch Horton DM Advantage Two-Speed Fan Clutch On/Off for heavy-duty, medium-duty and a variety of off-highway equipment.	0	0
2723210	S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0	0
2812210	S	VGT Exhaust Brake (Variable Geometry Turbo). Provides approximately 90-100 HP of retardation and is part of the turbocharger.	0	0
2921110	S	PACCAR Fuel/Water Separator Standard Service PACCAR Fuel/Water separator standard service intervals. High efficiency media protects critical engine components.	0	0
2921220	O	Fuel Heat for Fuel Filter	50	0
2921320	O	12V Heat for Fuel Filter Fuel filter heaters help ensure a seamless flow of diesel from the tank to the combustion chamber. Eliminating any possibility of moisture freezing within the fuel filter while simultaneously increasing the fuel temperature for atomization within the engine.	62	0
3010400	O	Engine Protection Shutdown w/ Label Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	6	0
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 367 1325 sq in, 367 HH Fepto 1325 sq in, 365 Fepto 1183 sq in, 365 Full Frame Extension	0	0

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/Opt	Description	\$ List	Weight
		1000 sq in, 520 1202 sq in, 579 1456.9 sq in, 535/536/537/548 949.3 sq in, 537/548 VOC 1000.3 sq in, 389/367 HH 1604 sq in, 365/567 1379 sq in.		
3211140	S	(1) Air Cleaner Engine Mounted	0	0
3367180	S	Exhaust Single RH Horizontal DPF/SCR RH Under Frame, Single Module	0	0
Transmission & Equipment				
4052910	O	Allison 2500 RDS-P Transmission, Gen 6 Rugged Duty Series	3,758	133
4211770	O	SPL100 Reverse Slip Driveline, 2 Midship Bearings Precision balanced for reduced noise, vibration and harshness. Permanently lubricated and sealed spline for reduced maintenance cost with an improved seal to prevent contaminants. Thermoplastic seal guard with retention feature to exclude contaminants for improved seal performance.	388	49
4250900	O	Main Transmission Rear Support Additional rear support for the transmission to provide a firm, durable design that improves stabilization of the drivetrain in rugged terrain	126	10
4252890	O	Allison FuelSense Not Desired Dynamic Shift Sensing	0	0
4252940	O	Allison Neutral At Stop Neutral at Stop features and benefits: Reduces or eliminates the load on the engine when vehicle is stopped, can help lower fuel consumption and CO2 emissions, and is included in FuelSense 2.0 Plus and Max packages only.	0	0
4253090	O	Severe Service Rear Transmission Support Spring	24	0
4253110	O	Park Lock Paccar Automatic 8 Speed Transmission	0	0
4256880	O	Allison 6-Speed Configuration Wide ratio gears, 2500 series transmissions.	0	0
4256920	O	Dash Mounted Push Button Shifter Available with Allison transmissions	592	3
4257110	O	LH Mounted Trans PTO Provisions	37	0
Air & Trailer Equipment				
4510210	O	Bendix AD-HF EP Air Dryer, Heater Coalescing filter, extended purge. Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technology in the the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	224	0
4519140	O	Mount Air Dryer Inside Rail RH	0	0
4520420	O	Pull Cords All Air Tanks	5	0



Sales Code	Std/ Opt	Description	\$ List	Weight
4540420	S	Nylon Chassis Hose	0	0
4543320	S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0	0
4543390	O	High Mount Air Tanks BOC/BOS Where Possible Subject to frame review	0	0
4611930	O	Body Connections 5' BOC Junction box contains light and power circuits for body connections located 5' from back-of-cab	109	4
Tires & Wheels				
5004210	S	FF: CN 14ply 295/75R22.5 Conti HSL3	0	0
5104180	O	RR: CN 14ply 295/75R22.5 HDL2 DL EP Efficiency Rating: Fair	584	76
5190004	O	Code-rear Tire Qty 04	0	0
5220520	O	FF: Alcoa 89U637 22.5 X 9.00 High Polish Aluminum, Ultra ONE technology that saves more than 50 lbs. versus a comparable steel wheel. Built for refuse, logging, mining and other heavy haul applications that demand a tough wheel. Each wheel offers a 10,000 lbs. load rating.	512	-30
5320410	O	RR: Alcoa 885657 22.5X8.25 High Polish Aluminum wheel severe service.	990	-56
5390004	O	Code-rear Rim Qty 04	0	0
5409680	O	Schrader Double Sealing Extensions Schrader on tire valve extensions provide a seal against contaminants while extending the valve mouth for convenient access. Fits standard .305-32" valve cap threads. Maximum operating pressure, 150 psi.	41	0
Fuel Tanks				
5581130	O	D-Shaped Aluminum 80 Gallon Fuel Tank RH U/C Non-slip step RH under cab	294	20
5601080	O	Location RH U/C 80 Gallon	0	0
5650540	O	Polish (1) Non-Slip Fuel Tank Step, U/C Tank Only	30	0
5650810	O	Polish (1) Aluminum Fuel Tank	201	0
5652830	O	Polish All Fuel / Hydraulic Tank Straps Does not apply to rectangular DEF tank straps	12	0
5652840	O	Locking Fuel Tank Cap(s)	14	0

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/Opt	Description	\$ List	Weight
5652890	S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0	0
5652990	O	DEF To Fuel Ratio 2:1 Or Greater	0	0
5653000	O	Polished Stainless Steel Cover For DEF Tank	194	0
5655019	S	DEF Tank Small, HD 14 Gal 2.1M MD 5.5 Gal	0	0
Battery Box & Bumper				
6020030	S	MD Battery Box, Non-Slip Step LH Under Cab	0	0
6030150	O	Rubber Battery Pad In Bottom of (1) Battery Box Mat in box that holds batteries only	13	4
6030540	O	Polish Battery/Tool Box(s), Aftertreatment Cab Entry complete	459	0
6030630	O	Aluminum Battery Box Cover	184	4
6121020	O	Aero Bumper, Steel 3-Piece, Bright Finish ***Warning*** Due to a new legal regulations, all New Medium Duty trucks require headlights to be located in the bumper when the chassis height is GREATER than the following chassis height: Measurement to bottom of frame at front of frame: for the 107 Aero Hood 32.6, for the 109 Aero Hood 31.4, for the 109 Vocational Hood 26.7. Work with applications if your chassis height is unacceptable.	1,238	20
Cab & Equipment				
6510180	S	Peterbilt Aerodynamic 107in BBC SMC Hood With molded charcoal crown and aluminum cab.	0	0
6540160	O	Thermal Insulation Package in Cab The thermal insulation package is designed to make the cab thermally efficient in extreme temperatures. The model 520 adds insulation surrounding the doghouse to reduce engine heat transmitted to the cab.	68	2
6540440	O	Key All Units Alike Please add your 4 digit key code number in the key code field.	259	0
6542823		KEY P0474	0	0
6800180	O	Hood Crown - Bright Finish ipo Molded Gray	89	0
6917340	O	Peterbilt Premium Driver Seat	384	4
6927320	O	Seats Inc. Passenger Seat	-202	10
6930230	O	Seat Skirt - All Eligible Air Seats	61	2
6930580	O	Drivers Armrests - LH & RH	56	4



Sales Code	Std/ Opt	Description	\$ List	Weight
6930590	O	Passenger Armrest - LH only Required with Evolution LX seats, optional with Evolution ST Seats.	28	2
6930800	O	Black Seat Color IPO Standard Color	0	0
6937040	O	Cloth Driver	0	0
6937050	O	Cloth Passenger	0	0
6939390	O	Seat Belt Alarm System Driver and Passenger Seats Seat belt alarm system driver and passenger seats. Radio mute when seat belt warning active and compatible radio. Driver/Passenger feature to alert occupants if the seat belt is not buckled. Light will appear in the dash when vehicle has key power turned on as well as a seat belt "chime" will alert the occupants as the vehicle travels at an increased speed.	115	0
6939400	S	Air Ride Driver	0	0
6939420	O	High Back Driver	40	0
6939500	O	Air Ride Passenger	120	0
6939530	O	Mid Back Passenger	0	0
7000025	O	Steering Wheel With Multi-Function Includes Peterbilt logo on horn button , audio volume, seek, mute and mode button on LH pod with cruise control on/off/cancel, set/resume and accelerate/coast on the right pod.	239	4
7000065	O	Metal Interior Door Panel Kick Plates	47	2
7001520	S	Adjustable Steering Column - Tilt/Telescope	0	0
7036130	O	Probilt Interior Grey/Black - Curved Roof	170	0
7110680	O	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.	179	0
7210540	S	Day Cab Rear Window Day cab rear window flush to back of cab.	0	0
7210550	S	1-Piece Glass Rear Cab Window Fixed	0	0
7230060	S	1-Piece Curved Windshield	0	0
7230360	S	Power Door Locks and Power Window Lifts Standard	0	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7322130	O	Cup Holder (Floor Mounted)	43	4

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/ Opt	Description	\$ List	Weight
		Includes two standard-size drink holders and one extra-large jugholder, coin tray, and clipboard-size storage area.		
7410040	O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	866	4
7510060	O	Aero Rear View Mirror Housing, Bright Finish	171	3
7514010	O	Peterbilt Aero Rear View Mirror, Motorized Includes top mirror with motorized, adjustable dual axis heated glass. Bottom mirror is an integrated convex surface. Includes black textured arms with breakaway feature.	336	3
7514050	S	Look Down Mirror Over Passenger Door with Black Housing	0	0
7561190	O	LH/RH Round hood Mirrors Bright Housing Convex mirrors, left hand / right hand hood mirrors with Bright finish. Includes one-piece straight arms for rearward visibility.	232	8
7610040	O	(1) Air Horn Round, 26" Length Roof mounted. Round horn shield.	233	4
7722120	O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	353	11
7725710	O	Standard Speaker Package For Cab (2) Speakers	51	4
7728030	O	Radio Mute When In Reverse For automatic or automated transmission	0	0
7728050	O	USB Port	38	0
7788055	O	SmartLINQ Remote Diagnostics SmartLINQ is Peterbilts proprietary remote diagnostics service which monitors the engine and aftertreatment for diagnostic codes providing real-time code analysis maximizing vehicle uptime and strengthening the fleets partnership with their dealer. SmartLINQ provides fault coverage for over 800 codes, a customizable email notification for 116 codes plus a web portal to manage your entire fleet included at no additional charge. SmartLINQ is compatible with any telematics system and doesnt require a specific fleet management system. For those whose customers utilize PeopleNet, the pre-wire with remote diagnostics will provide a more integrated solution utilizing the existing SmartLINQ modem. For those whose customers utilize other fleet services products, the existing pre-wire option for the other fleet service devices will continue to be available.	0	0
7851480	S	Peterbilt Electric Windshield Wipers With Intermittent Feature.	0	0
7852020	O	Cab Air Suspension	190	15
7852050	O	Auto Reset Circuit Protection Daycab and Sleeper	19	0
7900090	O	Triangle Reflector Kit, Ship Loose Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	33	13
7900310	O	Fire Extinguisher, Mounted Outboard Driver Seat Hazmat approval UL listed/rated ABC	64	9

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/Opt	Description	\$ List	Weight
7900520	O	Headlamps To Turn On When Wipers On	0	0
7901130	O	Backup Alarm (107 DB)	35	3
8011800	O	Drive Axle #1 Front Oil Temperature Gauge Located in Digital Cluster Display.	138	0
8011850	O	Transmission Oil Temperature (Main) Located in Digital Cluster Display.	30	0
8021380	S	Air Restriction Indicator Mounted on air cleaner, intake piping, or firewall	0	0
8021810	O	Brake Application Air Pressure (Tractor) Located in Digital Cluster Display.	0	0
8021860	O	Suspension Air Pressure 1 (Load) Located in Digital Cluster Display	152	0
8041200	O	Dual Scale Speedometer MPH Over KPH	0	0
8070080	O	(2) Additional Dash Switches With Wiring Located on dash panel C. Availability subject to dash space. Includes 4" 14 gauge wire with butt splice at rear of each additional switch.	112	0
8070390	O	Engine Hourmeter Gauge Located in Digital Cluster Display	0	0
8070450	O	Engine PTO Hourmeter Gauge Located In Digital Cluster Display	0	0
8070810	O	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display	0	0
8070820	O	Engine Percent Torque Located in Digital Cluster Display	0	0
8070860	S	Main Instrumentation Panel Digital Cluster 7" Display includes: Physical (Analog) - Speedometer, Tachometer, Oil Pressure, Coolant Temp and Display Gauges - Fuel Level, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure for air brake trucks.	0	0
8111110	S	Headlights Composite Fender Mounted Integral DRL/Park, Turn, and Side Marker	0	0
8120980	S	(5) Marker Lights, Aero LED Standard Black Housing, Chrome housing available with Sun Visor	0	0
8131560	O	(2) Peterbilt Fog Lights Recessed in Bumper	248	6
8134160	S	Self-Canceling Turn Signal	0	0
8140080	S	LED Stop/Turn/Tail/Backup Bracket mounted left-hand / right-hand end of frame	0	0
8140850	S	Moveable EOF Crossmember For Mounting Tail Lights Square end of frame with or without end of frame crossmember	0	0
Paint				
8500710	O	Standard Paint Color Selection	-200	0

Price Level: January 1, 2024

Deal: MDUSD 24 Reefer Truck

Printed On: 10/31/2023 3:14:29 PM

Date: October 31, 2023

Quote Number: QUO-1076648-C7V4S5



Sales Code	Std/Opt	Description	\$ List	Weight
8530770	S	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85300 FENDER L0006EY WHITE N85200 FRAME L0001EA BLACK N85400 HOOD TOP L0006EY WHITE	0	0

Shipping Destination

Options Not Subject To Discount

9400091	S	Peterbilt Class 7 Standard Coverage 1 year/Unlimited Miles/km	0	0
9400093	S	PACCAR PX-7 Standard Coverage 3 years/Unlimited Miles/Unlimited hrs	0	0
9402421	O	5 Year Towing	1,500	0
9408634	O	SmartLINQ RD - 5YR Sub PACCAR PX Engines	799	0
9408640	O	Engine CARB State Of Registration	9,000	0
9408702	O	Base Warr: Emissions (CARB Operation) 5YR/150K MI - PX-7 Engine	1,224	0

Miscellaneous

9409041	S	Aero Hood (MODEL 536)	0	0
9409055	O	State Registry: California	0	0
9485098	O	Basic Vehicle Medium Duty (CARB) (5/Unlimited) 5 yrs/ Unlimited	2,660	0
9486503	O	PACCAR Aftertreatment (6/150) CARB 2024 Series PX-7 6Yr/150K Mi 241,402 Km	710	0

Promotions



<i>Sales Code</i>	<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
-------------------	-----------------	--------------------	----------------	---------------

Special Requirements

- Special Requirement 1 0098010
- Special Requirement 2
- Special Requirement 3
- Special Requirement 4

Order Comments



Total List Price (W/O Freight & Warranty & Surcharges)	\$130,827
Marketing and Service Support Fee	\$870
Prepaid Freight	\$3,525
Total Surcharge/Options Not Subject To Discount	\$16,593
Total Weight	10,729

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Shipping Destinations

Intermediate Destination: NONE

Final Destinations	Quantity
C501 - Coast Counties Trucks 260 Doolittle Drive San Leandro, California 94577	1