



LEGEND

- - - - - LIMIT OF WORK
- - - - - PATH OF TRAVEL
- - - - - FENCE
- ▨ AREA TO BE PEREP FOR NEW SLAB CONTRACTOR TO VERIFY ELEVATION AND ADJACENT WALLS
- ▨ EXISTING GLASS AREA
- ▨ EXISTING CONCRETE SLAB

GENERAL NOTE

1. ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY AIRRAPI LEVEL CHANGES EXCEEDING 1/2" IF BEVELED AT 1/2" MAX SLOPE OR VERTICAL LEVEL CHANGES EXCEEDING 1/4" MAX AND AT LEAST 48" IN WIDTH SURFACE IS STABLE FIRM AND SLIP RESISTANT CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 5% UNLESS OTHERWISE INDICATED. ACCESSIBLE PATH OF TRAVEL SHALL BE MAINTAINED FREE OF OBSTACLES GREATER THAN 4" IN HEIGHT FROM WALL AND ABOVE NO BARRIERS IN THE PATH OF TRAVEL.

KEY NOTES

1. NEW CONCRETE DECK - MEDIUM BROOK FINISH
2. SEE SPS FOR DECK FINISH
3. SPORTS LIGHTING (TRUSS) 30'-0" POI (E3) SEE 4/SP-3.6
4. EXIT GATE (M8-1) SCHEDULE
5. NEW WALL SEE 6/PS-3
6. INCLINED PLATFORM LIFT FOR STAIRS
7. DRINKING FOUNTAIN SEE 9/DS-6
8. BIO RETENTION SEE CIVIL DRAWING
9. CONCRETE STEELWALK SEE CIVIL DRAWING
10. NEW CHAIN LINK FENCE SEE 7/DS-3
11. EXISTING ACCESSIBLE PARKING
12. CONCRETE/ALTERNATE SEE 6/PS-1
13. EXISTING DRINKING FOUNTAIN
14. STAIRS SEE SPS-2
15. OUTDOOR SEATERS
16. STORAGE AREA HANDRAILS
17. DRINKING FOUNTAIN WITH HANDRAILS
18. REUSED LIGHT FIXTURES AND POLE

SITE PLAN

1/8" = 1'-0"

NOT FOR CONSTRUCTION - 50% CONSTRUCTION DOCUMENTS

DATE: 11/14/2013	DRAWING TITLE: SITE PLAN	NO: AS1-1	DATE:	REVISION:	CLIENT: MT DIABLO UNIFIED SCHOOL DISTRICT ADDRESS: 1936 CARLOTTA DR. CONCORD, CA 94519 CONTACT:
SCALE: 1/8" = 1'-0"	JOB TITLE: NORTHGATE HIGH SCHOOL AQUATIC COMPLEX				
DRAWN BY: TC	JOB ADDRESS: 425 CASTLE ROCK ROAD WALNUT CREEK, CA 94598				



MT DIABLO UNIFIED SCHOOL DISTRICT



KENNETH R. HELLER
REGISTERED PROFESSIONAL ENGINEER
No. C15,022
State of California

1351 - SUITE 1,
DISTRIBUTION WAY
VISTA - CA 92081
PH: 760-734-1900
FX: 760-734-1811



AKA + PA
1351 - SUITE 1,
DISTRIBUTION WAY
VISTA - CA 92081
PH: 760-734-1900
FX: 760-734-1811